

 Search

[Home](#)   [Valve lockout](#)   [Why Pro-Lock](#)   [Special Pro-Locks](#)   [Padlocks & Hasps](#)   [Polypropylene Seals](#)   [Cable Seals](#)   [Prices](#)   [Contact Us](#)

## Pro-Lock Valve Lockout Padlocks

# LOCKOUT PADLOCKS FROM PRO - LOCK

Our range of British made brass padlocks are ideal for use in lockout/tagout systems



- Padlock bodies and keys numbered as standard.
- Padlock numbers recorded for each customer to avoid duplications to site on future orders.
- Over 30,000 individual locking mechanisms available (*enough for most lockout/tagout systems!*)
- Rustproof brass bodies and shackles. (*Steel shackles can be supplied upon request*).
- Padlocks can be made to your specific keying requirements.
- All our brass padlocks are British made.



----- 3 Standard keying options -----



**Padlocks to Differ** - each padlock is keyed differently, supplied with 2 keys per lock. 30,000 individual padlocks available



**Padlocks Keyed Alike** - each padlock is keyed the same  
1 key will open all padlocks



**Padlocks Master & Differ** - each padlock is keyed differently, supplied with 2 keys per lock.  
A master key will override and open any of these padlocks. 1000 individual padlocks available on 1 master key. 8 different master keys available

---

**How to order:**

When ordering padlocks, please specify keying option required by replacing the asterisk \* in the product code with:

**D** = For padlocks **keyed to differ**

**A** = For padlocks **keyed alike**

**M** = For padlocks **master & differ**

### Standard Shackles



Product Code	A Body size	B Shackle clearance	C Shackle diameter
S32*	32mm	15mm	4.7mm
S38*	38mm	19mm	6.3mm
S51*	51mm	25mm	8.7mm

### Medium Shackles



Product Code	A Body size	B Shackle clearance	C Shackle diameter
M32*	32mm	32mm	4.7mm
M38*	38mm	38mm	6.3mm
M51*	51mm	45mm	8.7mm

The M32 recommended for use with the Pro-lock Valve Lockout System



### Long Shackles

Product Code	A Body size	B Shackle clearance	C Shackle diameter
L32*	32mm	51mm	4.7mm
L38*	38mm	64mm	6.3mm
L51*	51mm	80mm	8.7mm



**Keys / Master Keys**

Overriding master keys for Master & Differ padlocks and additional / replacement keys

	Code	Description
	MKEY	Master Key
	PKEY	Additional/repeat individual padlock key

**Small Brass Padlock**

Available with 600 individual key combinations



Code	Description
S25	Padlock keyed to differ
S25K	Padlock keyed alike
Master & differ is not available on this size	

**Email or phone for our best prices**

**Large Discounts available**

**Place your order by Fax or email**

Padlocks and Seals	
<u>All Brass Padlocks</u>	<u>Polypropylene Numbered Security Seals</u>
<u>Aluminium, Zinc Cast, and Stainless Steel Numbered Cable Seals</u> <u>2.0mm - 3.0mm</u>	<u>Zinc Cast Body Numbered Security Seals</u> <u>1.6mm</u>

[Pro-lock Valve Lockout Home Page](#)

<a href="#">Home</a>	<a href="#">Valve Lockout</a>	<a href="#">Benefits</a>	<a href="#">Special Pro-locks</a>	<a href="#">Padlocks &amp; Hasps</a>	<a href="#">Polypropylene Seals</a>	<a href="#">Cable Seals</a>	<a href="#">Prices</a>	<a href="#">Contact</a>
	<a href="#">Ball Valve LO</a>	<a href="#">Benefits of Pro-lock</a>	<a href="#">Large and Hex head</a>	<a href="#">Brass</a>	<a href="#">Standard</a>	<a href="#">Aluminium Cable Seals</a>	<a href="#">Prices</a>	
	<a href="#">Gate Valve LO</a>	<a href="#">Operating Instructions</a>	<a href="#">Stainless Steel</a>	<a href="#">Xenoy</a>	<a href="#">Large Flag</a>	<a href="#">Zinc Cast Cable Seals</a>	<a href="#">Terms</a>	
	<a href="#">Butterfly Valve LO</a>	<a href="#">Specification</a>	<a href="#">Security</a>	<a href="#">Stainless Steel</a>	<a href="#">Isolation Tag Seals</a>	<a href="#">Stainless Steel Seals</a>	<a href="#">Payment</a>	
	<a href="#">Needle Valve LO</a>	<a href="#">Testing</a>						

[Top of Page](#)

[Site Map](#) - [Search](#) - [Terms](#) © 2010 Pro-Lock Valve Lockout Ltd.

PRO-LOCK VALVE LOCKOUT LTD.  
UNIT 4, THE OLD COAL YARD • HALL GATE LN • PREESALL • LANCS • FY6 0PJ • U.K.  
Tel: +44 (0)1253-811333 • Fax:+44 (0)1253-813030 • E-mail: [info@pro-lock.co.uk](mailto:info@pro-lock.co.uk)